X10

stiffness values tested.

CONCEALED JOINT

fastening configuration selected.

TWO VERSIONS

CROSS-SHAPED POST BASE

PARTIAL INTERLOCKING IN TWO DIRECTIONS

galvanised for maximum durability in outdoor settings.

USA DESIGN VALUES

Resistant to bending moment in both directions, for the creation of a partial interlocking in the bracing of canopies and shelters. Strength and

Without holes for use with self drilling dowels, smooth dowels or bolts; with holes, for use with XEPOX epoxy adhesive. Both versions are hot-dip

Totally concealed installation. Different strength levels depending on the

CANADA, EU and more design values available online.





SERVICE CONDITION



MATERIAL




S235 carbon steel with hot galvanising 55 µm

GROUND CLEARANCE

from 1.8 to 2 in

EXTERNAL LOADS



VIDEO

Scan the QR Code and watch the video on our YouTube channel









FIELDS OF USE

Ground joints for moment-resistant columns in both directions. Pergolas, carports, gazebos.

Suitable for columns in:

- solid timber softwood and hardwood
- glulam, LVL





FREE STRUCTURES

The base constraint can absorb horizontal loads allowing to realize pergolas or gazebos which do not require bracings and are open on all sides.


XEPOX

The cross shaped configuration and the fastener disposition are designed to guarantee a moment-resisting capacity, creating a semi-rigid constraint at the base.

■ CODES AND DIMENSIONS


XS10 - fastening with dowels or bolts

CODE	bottom plate	lower holes	Н	knife plate thickness	cross shaped blades	pcs
	[in]	[n. x in]	[in]	[in]		
XS10120	8 5/8 x 8 5/8 x 0.39	4 x Ø0.51	12 3/16	0.24	smooth	1
XS10160	10 1/4 x 10 1/4 x 0.47	4 x Ø0.67	12 5/16	0.31	smooth	1




XR10 - fastening with resin for wood

CODE	bottom plate	lower holes	Н	knife plate thickness	cross shaped blades	pcs
	[in]	[n. x in]	[in]	[in]		
XR10120	8 5/8 x 8 5/8 x 0.39	4 x Ø0.51	12 3/16	0.24	holes Ø0.31	1



Not holding CE marking.


GEOMETRY




■ ADDITIONAL PRODUCTS - FASTENING


type	description	(d	support
		[mm]	[in]	
SBD	self-drilling dowel	7,5	0.30	27/11
STA	smooth dowel	12	0.48	2)))))
KOS	hexagonal head bolt	M12	0.48	2)))))
XEPOX F	epoxy adhesive	-	-	2)))))
AB1	CE1 expansion anchor	12 - 16	0.48 - 0.63	
SKR/SKR EVO	screw-in anchor	12 - 16	0.48 - 0.63	
ABE	CE1 expansion anchor	M12 - M16	0.48 - 0.63	
VIN-FIX	vinyl ester chemical anchor	M12 - M16	0.48 - 0.63	
HYB-FIX	hybrid chemical anchor	M12 - M16	0.48 - 0.63	
EPO-FIX	epoxy chemical anchor	M12 - M16	0.48 - 0.63	


XS10 FASTENING CONFIGURATIONS





STRUCTURAL VALUES





XS10									
					COMPRESSION	TENSION	SHEAR ⁽¹⁾⁽²⁾	MOME	NT ⁽¹⁾⁽²⁾
CODE	config.	type	pcs - Ø x L	column B _{s,min}	F _{1,c timber}	F _{1,t steel}	F _{2/3 steel} = F _{4/5 steel}	M _{2/3 timber} = M _{4/5 timber}	$M_{2/3 \text{ steel}} = M_{4/5 \text{ steel}}$
			[in x in]	[in]	[lbf]	[lbf]	[lbf]	[lbf·in]	[lbf·in]
	S1 - SBD	SBD	16 - Ø0.30 x 5 5/16	5.5 x 5.5	16,456	3,597	787	14,161	10,001
XS10120	S2 - STA	STA	8 - Ø0.48 x 4 3/4	5.5 x 5.5	12,140	3,597	758	11,506	10,001
XS10160	S1 - SBD	SBD	16 - Ø0.30 x 6 7/8	7.5 x 7.5	17,468	7,801	1,538	15,931	25,402
	S2 - STA	STA	12 - Ø0.48 x 6 1/4	7.5 x 7.5	18,142	7,801	1,378	20,357	25,402

XR10			COMPRESSION	TENSION	SHEAR ^{[1][2]}	MDMENT ^{[1][2]}
CODE	configurations	column B _{s,min}	F _{1,c timber} (4)	F _{1,t steel}	F _{2/3 steel} = F _{4/5 steel}	M _{2/3 steel} = M _{4/5 steel}
		[in]	[lbf]	[lbf]	[lbf]	[lbf·in]
XR10120	XEPOX adhesive ⁽³⁾	6.3 x 6.3	23,605	3,597	787	10,001

 ${f NDTES}$ and ${f GENERAL}$ PRINCIPLES see page pagina 6.




STIFFNESS

CODE	fasteners for timber	config	$K_{2/3,ser} = K_{4/5,ser}$ (5)	
		pcs	Ø	
			[in]	[kips·ft/rad]
XS10120	S1 - SBD	16	0.30	40.6
X310120	S2 - STA	8	0.48	103.2
VC10160	S1 - SBD	16	0.30	258
XS10160	S2 - STA	12	0.48	118

MOUNTING XS10 1 XR10

REINFORCEMENT PERPENDICULAR TO THE GRAIN

2



If the post base needs to withstand the bending moment, it is needed to insert VGZ Ø7 (0.28") screws as a reinforcement perpendicular to the grain.

8

Α	min a _{2CG}	[inch]	0.83
В	min a _{CROSS}	[inch]	0.43
С	min a _{1CG}	[inch]	2.20

The minimum distances in the table refer to a Ø7 (0.28") diameter screw.

NOTES

1

- $^{(1)}\,$ Provide orthogonal reinforcement to the grain for each load direction, installing 2 screws VGZ Ø7 (0.28") x $\rm B_{\rm s,min}$ above the vertical flanges.
- $^{(2)}$ Limit value of the bottom plate for shear stress application at a height of e = 8.66-9 in (220-230 mm).
- $^{\rm (3)}$ We recommend using XEPOX F. The amount of resin required depends on the thickness of the routing:
 - 20.3 oz for 3/8" routing;
 - 27 oz for 1/2" routing.

The values are obtained with a waste coefficient of 1.4.

- (4) Calculated according to internal analysis.
- (5) Values obtained from the test.

GENERAL PRINCIPLES

- The strength values indicated in the table are valid in compliance with the fasteners installation according to the configurations indicated.
- The verification of the fastener-to-concrete connection must be carried out
- The moment and shear strength values are calculated individually. In case of combined loading the verification must be carried out separately
- For the calculation process a timber with a specific gravity of 0.42 has been considered.
- For the timber side: the values are calculated according to the NDS (2024). The tabled reference design values are unfactored and should be multiplied by the adjustment factors to get the adjusted design values.
- For the steel side: calculations are based on AISC 360-16 and test-validated FEM analysis.
- A gap of 1/8" between timber column and steel X cruciform was considered on each side of steel plate.

