


OVERNET

INSTALLATION MANUAL



TECHNICAL
AGREEMENT
ON REQUEST


EN
14963:2007

EN
1873:2006



EN
15057:2006

- IT** Per maggiori dettagli si rimanda all'accordo tecnico A.T. ITC-CNR n. 650/22, da richiedere a www.rothoblaas.com.
- DE** Weitere Einzelheiten finden Sie in der technischen Vereinbarung A.T. ITC-CNR Nr. 650/22, die unter www.rothoblaas.com angefordert werden kann
- EN** For further details, please refer to the technical agreement A.T. ITC-CNR No. 650/22, available upon request at www.rothoblaas.com
- ES** Para más información, véanse el acuerdo técnico A.T. ITC-CNR n.º 650/22, que puede solicitarse en www.rothoblaas.com
- FR** Pour plus de détails, veuillez vous référer à l'accord technique A.T. ITC-CNR n° 650/22, disponible sur demande à www.rothoblaas.com
- PT** Para mais detalhes, consulte o acordo técnico A.T. ITC-CNR n.º 650/22, disponível mediante solicitação em www.rothoblaas.com
- RU** Для получения дополнительной информации см. техническое соглашение A.T. ITC-CNR № 650/22, которое можно запросить по адресу www.rothoblaas.com
- CS** Podrobnější informace naleznete v technické dohodě A.T. ITC-CNR č. 650/22, kterou lze vyžádat na adrese www.rothoblaas.com
- DA** For yderligere oplysninger henvises til den tekniske aftale A.T. ITC-CNR nr. 650/22, som kan rekvireres på www.rothoblaas.com
- EL** Για περισσότερες λεπτομέρειες, ανατρέξτε στη τεχνική συμφωνία A.T. ITC-CNR αρ. 650/22, η οποία μπορεί να ζητηθεί στο www.rothoblaas.com
- ET** Lisateabe saamiseks vaadake tehnilist kokkulepet A.T. ITC-CNR nr 650/22, mida saab taotleda aadressil www.rothoblaas.com
- FI** Lisätietoja on saatavilla teknisestä sopimuksesta A.T. ITC-CNR nro 650/22, jota voi pyytää osoitteesta www.rothoblaas.com
- HR** Za više pojedinosti pogledajte tehnički sporazum A.T. ITC-CNR br. 650/22, koji se može zatražiti na www.rothoblaas.com
- HU** "További részletekért lásd az A.T. ITC-CNR 650/22 számú műszaki megállapodást, amely a www.rothoblaas.com címen igényelhető"
- IS** Fyrir frekari upplýsingar, vísað er í tæknisamning A.T. ITC-CNR nr. 650/22, sem hægt er að óska eftir á netfangið www.rothoblaas.com
- LT** Daugiau informacijos rasite techninėje sutartyje A.T. ITC-CNR Nr. 650/22, kurią galima gauti kreipiantis adresu www.rothoblaas.com
- LV** Papildu informācijai, lūdzu, skatiet tehnisko līgumu A.T. ITC-CNR Nr. 650/22, kuru var pieprasīt, rakstot uz www.rothoblaas.com
- NL** Voor meer details wordt verwezen naar de technische overeenkomst A.T. ITC-CNR nr. 650/22, op te vragen via www.rothoblaas.com
- NO** For mer informasjon, se den tekniske avtalen A.T. ITC-CNR nr. 650/22, som kan bestilles fra www.rothoblaas.com
- PL** Więcej szczegółów znajduje się w umowie technicznej A.T. ITC-CNR nr 650/22, którą można zamówić pod adresem www.rothoblaas.com
- RO** Więcej szczegółów znajduje się w umowie technicznej A.T. ITC-CNR nr 650/22, którą można zamówić pod adresem www.rothoblaas.com
- SK** Ďalšie podrobnosti nájdete v technickej dohode A.T. ITC-CNR č. 650/22, ktorú je možné vyžiadať na adrese www.rothoblaas.com
- SL** Za več podrobnosti glejte tehnični sporazum A.T. ITC-CNR št. 650/22, ki ga je mogoče zahtevati na naslovu www.rothoblaas.com
- SV** För ytterligare information, se det tekniska avtalet A.T. ITC-CNR nr. 650/22, som kan begäras på www.rothoblaas.com
- TR** Daha fazla bilgi için A.T. ITC-CNR No. 650/22 teknik anlaşmasına bakınız; www.rothoblaas.com adresinden talep edilebilir
- JA** 詳細については、技術協定 A.T. ITC-CNR No. 650/22 を参照してください。www.rothoblaas.com までお問い合わせください。
- ZH** 如需更多详细信息, 请参阅技术协议 A.T. ITC-CNR 第 650/22 号; 可通过 www.rothoblaas.com 请求获取。
- AR** للمزيد من التفاصيل، يُرجى الرجوع إلى الاتفاقية التقنية A.T. ITC-CNR رقم ٢٢/١٥٠، والتي يمكن طلبها عبر البريد الإلكتروني www.rothoblaas.com


CODES AND DIMENSIONS

CODES		color	B [mm]	L [m]	pz.
OVERNET1020B		 (black)	1020	25	1
OVERNET1220B			1220	25	1
OVERNET1520B			1520	25	1
OVERNET1830B			1830	25	1
OVERNET2030B			2030	25	1
OVERNET2230B			2230	25	1
OVERNET2440B			2440	25	1


ADDITIONAL ACCESSORIES

CODES		color	pz.	
OVERNETBRAR	red fastening plate for OVERNET (19 x 142 x 2 mm)		100	
OVERSPRING	joining spring for net Ø28x37,5 mm		450	
OVERSTAPLE	joining staples for nets 20 mm		1000	
OVERNETEPDM	EPDM gasket for OVERNET (19 x 142 x 4 mm)	-	100	
RIV7728	rivet with EPDM washer Ø7,7x28 mm	-	300	
WREN	pliers with dispenser for OVERSTAPLE joining staples	-	1	

■ SINGLE NET - **D** AND **E** LAYING PATTERN SYSTEM




■ JOINTED NET - **D2** AND **E2** LAYING PATTERN SYSTEM



■ INSTALLATION REQUIREMENTS





SUBSTRUCTURE	MATERIAL	MINIMUM THICKNESS
	STEEL	5/10
	ALUMINIUM	7/10
	STEEL	4/10
	ALUMINIUM	6/10

■ D INSTALLATION: PARALLEL TO FRETS




CODE	X [mm]
OVERNET1020B	≤ 880
OVERNET1220B	890-1070
OVERNET1520B	1080-1390
OVERNET1830B	1400-1690
OVERNET2030B	1700-1880
OVERNET2230B	1890-2080
OVERNET2440B	2090-2300

APPLICATION INSTRUCTIONS







E INSTALLATION: PERPENDICULAR TO FRETS






CODE	Y [mm]
OVERNET1020B	≤ 690
OVERNET1220B	700-890
OVERNET1520B	900-1200
OVERNET1830B	1210-1500
OVERNET2030B	1510-1700
OVERNET2230B	1710-1910
OVERNET2440B	1920-2110


APPLICATION INSTRUCTIONS



■ NETS COUPLING INSTRUCTIONS




D2 INSTALLATION: PARALLEL TO FRETS




CODE	X [mm]
OVERNET1020B	1600-1780
OVERNET1220B	1790-2190
OVERNET1520B	2200-2800
OVERNET1830B	2810-3410
OVERNET2030B	3420-3810
OVERNET2230B	3820-4220
OVERNET2440B	4230-4630

D2: INSTALLATION D + NETS COUPLING





■ E2 INSTALLATION: PERPENDICULAR TO FRETS



CODE	Y [mm]
OVERNET1020B	≤ 1610
OVERNET1220B	1620-2010
OVERNET1520B	2020-2620
OVERNET1830B	2630-3230
OVERNET2030B	3240-3630
OVERNET2230B	3640-4040
OVERNET2440B	4050-4450

E2: INSTALLATION E + NETS COUPLING





credits: GABLE FALL SAFE LTD

Rotho Blaas SRL

12-25

Via dell'Adige N.2/1 | 39040, Cortaccia (BZ) | Italia
Tel: +39 0471 81 84 00 | Fax: +39 0471 81 84 84
info@rothoblaas.com | www.rothoblaas.com

